# 3\_1 Reteaching

## Rate of Change and Slope

The rate of the vertical change to the horizontal change between two points on a line is called the slope of the line.

$$slope = \frac{vertical change}{horizontal change} = \frac{rise}{run}$$

There are two special cases for slopes.


- A horizontal line has a slope of 0.
- A vertical line has an undefined slope.

#### **Problem**

What is the slope of the line?

slope = 
$$\frac{\text{vertical change}}{\text{horizontal change}} = \frac{\text{rise}}{\text{run}}$$
  
=  $\frac{1}{3}$ 

The slope of the line is  $\frac{1}{3}$ .




In general, a line that slants upward from left to right has a positive slope.

## Problem

What is the slope of the line?

slope = 
$$\frac{\text{vertical change}}{\text{horizontal change}} = \frac{\text{rise}}{\text{run}}$$
  
=  $\frac{-2}{1}$   
=  $-2$ 

The slope of the line is -2.



In general, a line that slants downward from left to right has a negative slope.


# 3-1 Reteaching (continued)

## Rate of Change and Slope


### **Exercises**

Find the slope of each line.


1.



2



3.



Suppose one point on a line has the coordinates  $(x_1, y_1)$  and another point on the same line has the coordinates  $(x_2, y_2)$ . You can use the following formula to find the slope of the line.

**slope** = 
$$\frac{\text{rise}}{\text{run}} = \frac{y_2 - y_1}{x_2 - x_1}$$
, where  $x_2 - x_1 \neq 0$ 

### Problem

What is the slope of the line through R(2, 5) and S(-1, 7)?

slope = 
$$\frac{y_2 - y_1}{x_2 - x_1}$$
  
=  $\frac{7 - 5}{-1 - 2}$  Let  $y_2 = 7$  and  $y_1 = 5$ .  
Let  $x_2 = -1$  and  $x_1 = 2$ .

#### **Exercises**

Find the slope of the line that passes through each pair of points.

**4.** (0, 0), (4, 5)

**5.** (2, 4), (7, 8)

**6.** (-2, 0), (-3, 2)

**7.** (-2, -3), (1, 1)

**8.** (1, 4), (2, -3)

**9.** (3, 2), (-5, 3)